




All Geared Lathe Machines





Preet Lathe Udyog



About Us

Manufacturers, exporters and domestic suppliers of a wide assortment of Lathe Machines in India. The machines are efficient, corrosion resistant, sturdy, low on maintenance cost, easy to operate and has high tensile strength.

Established in the year 1984, we, "**Preet Lathe Udyog, Batala**" are one of the leading manufacturers, exporters and domestic suppliers of a wide assortment of lathe machines. The machines are efficient, corrosion resistant, sturdy, low on maintenance cost, easy to operate and has high tensile strength.

Leveraging on our several years of industry experience, we have been able to earn a reputable position in the domestic as well as the global market. Our wide assortment of Lathe Machines includes Special Purpose Machines, Semi/Full Norton Lathe, V-Belt Lathe, Roll Turning Lathe & All Geared Lathe Machine. These products find application in various industries.



All Geared Lathe Machines

Included Accessories:

- Dog Chuck Plate
- True Chuck Plate
- Tool Post
- Steady Rest
- Follow Rest

Extra Accessories:

- Dog Chuck
- True Chuck
- Electric Control Panel
- Motorized Saddle
- Main Motor
- Coolant Pump With Tank
- Taper Turning Attachment
- Machine Light
- Splash Guard
- Foot Operated Brake
- Tool Post Grinding Attachment
- Key Way Cutting Attachment
- Turcite Lining Fitting
- Tail Stock Quill
- Flame Hardened Bed



All Geared Lathe Machines Range Starts from 4.5 feet

The Preet Lathe 'All Geared Lathe Machines' are designed for finest finishes and take up heavy loads. It is also one of the easiest lathes to operate in the industry. It offers features such as four way rapid traverse, single handle 'joy-stick' controls and feed and threading safety interlocks that make it a breeze to operate.

Widely used in a number of Engineering Applications, our range of Lathe Machines is manufactured using high grade raw material.

Our range of lathe machines is highly efficient and has a long service life. We adopt latest technological development to manufacture our range in accordance with the specifications of our clients.



Specifications

All Geared Lathe Machines

Description	Unit	A	B	C	D	E
Distance Between Centers	mm	1000 TO 3000	1000 TO 3000	2000 TO 4000	2000 TO 4000	2000 TO 4000
Bed Width	mm	350 TO 375	430	450	500	600
Center Height	mm	300 TO 330	360	380	450	500
Swing Over Bed	mm	550	720	760	900	1000
Swing Over Cross Saddle	mm	350	370	400	450	600
Swing Over Carriage	mm	390	410	450	500	650
Swing In Gap	mm	750	900	1000	1250	1300
Main Spindle Bore	mm	53 To 80	70 To 80	90 To 100	100	100
Main Spindle Taper		MT4	MT4	MT4	MT4	MT5
No. Of Spindle Speeds	Nos.	18	18	18	18	18
Speed Range	RPM	30 To 1200	25 To 500	15 To 450	15 To 450	10 To 300
Cross Slide Travel	mm	300	350	400	450	500
Top Slide Travel	mm	150	180	180	200	200
Main Motor	HP	3	5	5	5	7.5
Rapid Motor for Saddle	HP	2	2	2	2	2
Collant Pump Motor	HP	.11kw	.11kw	.11kw	.11kw	.11kw

*Modification on customer request.

*Specifications are subject to change without notice.

Corporate Address:

Preet Lathe Udyog,

Kahnuwan Road

Batala, Punjab - 143 505, India

Email : info@preetlathe.com

Telephone : +(91)-(1871)-246462

Mobile : +(91)-9855784646/ 9878088824

Fax : +(91)-(1871)-245452



www.preetlathe.com